



# Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template

Revision:00  
 Revision Date: 06/10/2022  
 Last Edits BY: JENA Murray  
 Approval: Jena Murray  
 Approval Date: 06/29/2022

## ≤PRODUCT INFO

<b>PRODUCT NAME</b>	Medterra CBD Menthol Pain Relief Cream, 1000mg, 1.7oz	<b>ITEM Number</b>	7321021391000050
<b>Lot Number</b>	202512614	<b>Amount Per Bottle:</b>	1.7oz
<b>Expiration Date:</b>	05/2027	<b>Storage Recommendation:</b>	Room temperature, away from light.

## PHYSICAL QUALITIES

<b>STRENGTH</b>	1000mg CBD / Container	<b>COLOR</b>	White
<b>SIZE</b>	1.7oz	<b>ODOR</b>	Menthol
<b>ADDITIONAL INFO</b>	n/a	<b>FLAVOR</b>	n/a

Test Performed:	PASS / FAIL
<b>Potency:</b>	Pass
<b>Heavy Metals:</b>	Pass
<b>Mycotoxins:</b>	Pass
<b>Pesticides:</b>	Pass
<b>Residual Solvents:</b>	Pass
<b>Listeria Monocytogenes:</b>	Pass
<b>Pathogens:</b>	Pass

Test Performed	Method	Specification	Result	Pass/Fail
CBD	UHPLC - DAD	≥ 1000mg / Container	1140mg / Container	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
THC	UHPLC - DAD	≤ 0.01%	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Menthol	ICP-MS	≥ 4%	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Arsenic	ICP-MS	≤ 1500ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Cadmium	ICP-MS	≤ 500ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Lead	ICP-MS	≤ 500ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Mercury	ICP-MS	≤ 3000ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Aflatoxin B1	LCMS	≤ 20 ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Aflatoxin G1	LCMS	≤ 20 ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Ochratoxin A	LCMS	≤ 20 ppb	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
E. Coli	USP2022	Absent	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Salmonella	USP2022	Absent	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail



# Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template

Revision:00

Revision Date: 06/10/2022

Last Edits BY: JENA Murray

Approval: Jena Murray

Approval Date: 06/29/2022

Test Performed	Method	Specification	Result	Pass/Fail
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	qPCR	Absent	Pass	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Listeria Monocytogenes	qPCR	Absent	NT	<input type="checkbox"/> Pass <input type="checkbox"/> Fail
Full Pesticide Panel (see attached results for each tested)	LCMS / GCMS	See attached results for Specification of each Pesticide tested	See Attached	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail
Residual Solvents (see attached results for each tested)	GCMS	See attached results for Specification of each Residual Solvent tested	See Attached	<input checked="" type="checkbox"/> Pass <input type="checkbox"/> Fail

## NOTES:

na 06/05/2025 rcg

Released:

**APPROVED**

*By Raquel Garza at 1:42 pm, Jun 05, 2025*

Quality Assurance: \_\_\_\_\_

Date: \_\_\_\_\_

# Certificate of Analysis

Produced: Jun 05, 2025

Sample: Medterra CBD Menthol Pain Relief Cream, 1000mg, 1.7oz (Topical) • Client: Medterra CBD • Batch: Pass



**Batch No.:** 202512614  
**Matrix:** Topical  
**Sample ID:** ICC-250530-04-001  
**Collected on:** May 30, 2025  
**Received on:** May 30, 2025  
**Batch Size:**  
**Sample Size:**  
**Received By:** Rebecca Fischer  
**Package Size:** 51.54 g

**Batch Result:** Pass

<b>Potency</b>	Pass	<b>Microbial</b>	Pass
<b>Terpenes</b>	Tested	<b>Mycotoxins</b>	Pass
<b>Solvents</b>	Pass	<b>Pesticides</b>	Pass
<b>Metals</b>	Pass	<b>Foreign</b>	Pass

**Cannabinoid Overview**

<b>Δ<sup>9</sup>-THC:</b>	<b>0.000 mg/pkg</b>
<b>CBD:</b>	<b>1140 mg/pkg</b>
<b>Total Cannabinoids:</b>	<b>1140 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>1140 mg/pkg</b>
<b>Sum of Terpenes:</b>	<b>2210 mg/pkg</b>

**POT-INST-005: POT-INST-005: Potency • Jun 02, 2025**

Analyte	Limit	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail
CBC		ND	ND	0.0275/0.0824	N/A
CBD		2.21 %	22 mg/g	0.00840/0.0416	N/A
CBDA		ND	ND	0.0201/0.0603	N/A
CBDV		0.0102 %	0.10 mg/g	0.00666/0.0416	N/A
CBG		ND	ND	0.00949/0.0416	N/A
CBGA		ND	ND	0.0148/0.0445	N/A
CBL		ND	ND	0.00656/0.0416	N/A
CBN		ND	ND	0.00949/0.0416	N/A
CBT		ND	ND	0.0119/0.0416	N/A
Δ <sup>8</sup> -THC		ND	ND	0.00674/0.0416	N/A
Δ <sup>9</sup> -THC		ND	ND	0.0111/0.0416	N/A

Analyte	Limit	Amt	Amt	LOD/LOQ (mg/g)	Pass/Fail
THCA		ND	ND	0.0153/0.0459	N/A
THCV		ND	ND	0.00514/0.0416	N/A
<b>Total THC**</b>		ND	ND		N/A
<b>Total CBD**</b>		2.21 %	22 mg/g		N/A
<b>CBD/Pkg</b>		1140 mg			N/A
<b>Δ<sup>9</sup>-THC/Pkg</b>	1100 mg	ND			Pass
<b>Total THC/Pkg**</b>		ND			N/A
<b>Total CBD/Pkg**</b>		1140 mg			N/A
<b>Total Cannabinoids**</b>		2.22 %	22 mg/g		N/A
<b>Total Cannabinoids/Pkg**</b>		1140 mg			N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-9-THC + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*

\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



**TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • Jun 02, 2025**

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
Total Terpenes	4.28	42.8		Cedrol	ND	ND	0.00312/0.0153
Menthol	4.26	42.6	0.00319/0.0153	cis-Nerolidol	ND	ND	0.00636/0.0218
β-Caryophyllene	0.0206	0.206	0.0137/0.0616	Δ <sup>3</sup> -Carene	ND	ND	0.00326/0.0309
(-)-β-Citronellol	ND	ND	0.0111/0.0605	Eucalyptol	ND	ND	0.00466/0.0155
α-Bisabolol	ND	ND	0.00458/0.0153	Fenchol	ND	ND	0.00269/0.0153
α-Cedrene	ND	ND	0.00350/0.0153	Fenchone	ND	ND	0.00142/0.0153
α-Humulene	ND	ND	0.00233/0.0153	γ-Terpinene	ND	ND	0.00514/0.0154
α-Pinene	ND	ND	0.00219/0.0153	Geraniol	ND	ND	0.00774/0.0616
α-Terpinene	ND	ND	0.00276/0.0153	Geranyl Acetate	ND	ND	0.00271/0.0153
α-Terpineol	ND	ND	0.00262/0.0156	Guaiol	ND	ND	0.00313/0.0156
β-Eudesmol	ND	ND	0.00348/0.0156	Isoborneol	ND	ND	0.00252/0.0153
β-Myrcene	ND	ND	0.00211/0.0155	Limonene	ND	ND	0.0164/0.0492
β-Pinene	ND	ND	0.00331/0.0309	Linalool	ND	ND	0.00442/0.0156
Borneol	ND	ND	0.00225/0.0156	p-Cymene	ND	ND	0.00372/0.0156
Camphene	ND	ND	0.00230/0.0153	Pulegone	ND	ND	0.00390/0.0153
Camphor	ND	ND	0.00504/0.0309	Terpinolene	ND	ND	0.00156/0.0156
Caryophyllene Oxide	ND	ND	0.00771/0.0610	trans-Nerolidol	ND	ND	0.00290/0.00921

Compliance requirements for this test are taken from California Cannabis regulations.

**Utah RS-PREP-001, Utah RS-INST-003: Utah RS-PREP-001, Utah RS-INST-003: Utah Residual Solvents by GC-MS • Jun 02, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dimethoxyethane	100	ND	6.00/18.0	Pass	Ethyl acetate	5000	ND	14.3/42.8	Pass
1,4-Dioxane	380	ND	12.9/38.6	Pass	Ethylbenzene		ND	3.50/10.5	N/A
1-Butanol	5000	ND	3.10/9.40	Pass	Ethylene glycol	620	ND	3.40/10.3	Pass
1-Pentanol	5000	ND	10.0/29.9	Pass	Ethylene oxide	50	ND	6.50/19.6	Pass
2,2-Dimethylbutane	290	ND	0.900/2.60	Pass	Ethyl ether	5000	ND	6.80/20.4	Pass
2,3-Dimethylbutane	290	ND	0.900/2.80	Pass	Heptane	5000	ND	0.400/1.20	Pass
2-Butanol	5000	ND	9.60/28.7	Pass	Hexane	290	ND	0.500/1.50	Pass
2-Butanone	5000	ND	7.20/21.6	Pass	Isopropyl acetate	5000	ND	4.10/12.4	Pass
2-Ethoxyethanol	160	ND	3.90/11.6	Pass	Methanol	3000	ND	18.4/55.3	Pass
2-Methylbutane	5000	ND	0.700/2.00	Pass	Methylpropane	5000	ND	10.2/30.7	Pass
2-Methylpentane	290	ND	9.10/27.2	Pass	N,N-Dimethylacetamide	1090	ND	269/807	Pass
2-Propanol	5000	ND	11.5/34.6	Pass	N,N-Dimethylformamide	880	ND	2.70/8.20	Pass
3-Methylpentane	290	ND	7.40/22.1	Pass	Pentane	5000	ND	0.800/2.50	Pass
Acetone	5000	ND	8.20/24.7	Pass	Propane	5000	ND	7.90/23.8	Pass
Acetonitrile	410	ND	8.40/25.1	Pass	Propanol	5000	ND	7.00/21.0	Pass
Benzene	2	ND	0.400/1.10	Pass	Pyridine	100	ND	19.6/58.6	Pass
Butane	5000	ND	9.60/28.7	Pass	Sulfolane	160	ND	22.9/68.7	Pass
Cumene	70	ND	8.30/25.0	Pass	Tetrahydrofuran	720	ND	6.20/18.6	Pass
Cyclohexane	3880	ND	8.40/25.3	Pass	Toluene	890	ND	0.400/1.20	Pass
Dichloromethane	600	ND	4.00/11.9	Pass	o-Xylene		ND	8.80/26.3	N/A
Dimethyl sulfoxide	5000	ND	8.40/25.2	Pass	p- and m-Xylene		ND	1.60/4.90	N/A
Ethanol	5000	108	4.80/14.4	Pass	Total xylenes + Ethylbenzene	2170	ND		Pass

Compliance requirements for this test are taken from Utah Hemp regulations.

**HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • May 30, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	0.0202	0.00300/0.00900	Pass	Lead	0.5	0.203	0.00100/0.00400	Pass
Cadmium	0.5	< LOQ	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

**MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Jun 02, 2025**

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

**PCR-Staphylococcus aureus/Pseudomonas aeruginosa • Jun 02, 2025**

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Pseudomonas aeruginosa		ND	N/A	Staphylococcus aureus		ND	N/A

Compliance requirements for this test are taken from California Cannabis regulations.



**MICR-001, MICR-003: MICR-001, MICR-003: Petrifilm-Aerobic • Jun 04, 2025**

Analyte	Limit	Amt	Pass/Fail
Aerobic Bacteria		<100	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

**MICR-004, MICR-006: MICR-004, MICR-006: Petrifilm-Rapid Yeast & Mold • Jun 05, 2025**

Analyte	Limit	Amt	Pass/Fail
Yeast & Mold		<100	N/A

Compliance requirements for this test are taken from California Cannabis regulations.

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Jun 02, 2025**

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.94/5.88	N/A	Aflatoxin G2		ND	1.54/5.00	N/A
Aflatoxin B2		ND	2.65/8.04	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	3.91/11.9	N/A	Ochratoxin A	20	ND	4.78/14.5	Pass

Compliance requirements for this test are taken from California Cannabis regulations.

**PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Jun 02, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Jun 02, 2025**

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00937/0.0300	Pass
Acephate	5	ND	0.00629/0.0300	Pass	Imidacloprid	3	ND	0.0231/0.0700	Pass
Acequinocyl	4	ND	0.0280/0.0848	Pass	Kresoxim-methyl	1	ND	0.00982/0.0300	Pass
Acetamiprid	5	ND	0.00718/0.0300	Pass	Malathion	5	ND	0.00673/0.0300	Pass
Aldicarb	Any amt	ND	0.00997/0.0302	Pass	Metalaxyl	15	ND	0.00467/0.0300	Pass
Azoxystrobin	40	ND	0.00400/0.0300	Pass	Methiocarb	Any amt	ND	0.00956/0.0300	Pass
Bifenazate	5	ND	0.00787/0.0300	Pass	Methomyl	0.1	ND	0.0105/0.0318	Pass
Bifenthrin	0.5	ND	0.0162/0.0490	Pass	Mevinphos	Any amt	ND	0.0133/0.0404	Pass
Boscalid	10	ND	0.0106/0.0321	Pass	Myclobutanil	9	ND	0.00963/0.0300	Pass
Carbaryl	0.5	ND	0.00614/0.0300	Pass	Naled	0.5	ND	0.0116/0.0350	Pass
Carbofuran	Any amt	ND	0.00384/0.0300	Pass	Oxamyl	0.2	ND	0.0103/0.0311	Pass
Chlorantraniliprole	40	ND	0.00657/0.0300	Pass	Paclobutrazol	Any amt	ND	0.0111/0.0337	Pass
Chlorpyrifos	Any amt	ND	0.0108/0.0327	Pass	Permethrin	20	ND	0.00396/0.0300	Pass
Clofentezine	0.5	ND	0.00595/0.0300	Pass	Phosmet	0.2	ND	0.00807/0.0300	Pass
Coumaphos	Any amt	ND	0.00712/0.0300	Pass	Piperonylbutoxide	8	ND	0.00869/0.0300	Pass
Daminozide	Any amt	ND	0.0190/0.0576	Pass	Prallethrin	0.4	ND	0.0204/0.0618	Pass
Diazinon	0.2	ND	0.0271/0.0821	Pass	Propiconazole	20	ND	0.0210/0.0637	Pass
Dichlorvos	Any amt	ND	0.0168/0.0508	Pass	Propoxur	Any amt	ND	0.00656/0.0300	Pass
Dimethoate	Any amt	ND	0.00906/0.0300	Pass	Pyrethrins	1	ND	0.00357/0.0300	Pass
Dimethomorph	20	ND	0.0102/0.0308	Pass	Pyridaben	3	ND	0.00834/0.0300	Pass
Ethoprophos	Any amt	ND	0.00586/0.0300	Pass	Spinetoram	3	ND	0.00317/0.0300	Pass
Etofenprox	Any amt	ND	0.00642/0.0300	Pass	Spinosad	3	ND	0.00302/0.0300	Pass
Etoxazole	1.5	ND	0.00498/0.0300	Pass	Spiromesifen	12	ND	0.0103/0.0311	Pass
Fenhexamid	10	ND	0.0147/0.0444	Pass	Spirotetramat	13	ND	0.00992/0.0301	Pass
Fenoxycarb	Any amt	ND	0.0111/0.0335	Pass	Spiroxamine	Any amt	ND	0.00395/0.0300	Pass
Fenpyroximate	2	ND	0.00952/0.0300	Pass	Tebuconazole	2	ND	0.0213/0.0645	Pass
Fipronil	Any amt	ND	0.00568/0.0300	Pass	Thiacloprid	Any amt	ND	0.00348/0.0300	Pass
Fonicamid	2	ND	0.0181/0.0548	Pass	Thiamethoxam	4.5	ND	0.00914/0.0300	Pass
Fludioxonil	30	ND	0.0192/0.0583	Pass	Trifloxystrobin	30	ND	0.00378/0.0300	Pass
Hexythiazox	2	ND	0.0217/0.0657	Pass					

Compliance requirements for this test are taken from California Cannabis regulations.

