

# Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template

Revision:00 Revision Date: 06/10/2022

Last Edits BY: JENA Murray Approval: Jena Murray Approval Date: 06/29/2022

PRODUCT INFO											
PRODUCT NAME	Medterra Rapid Recovery Cooling Cream,	ITEM Number	7301021160500050								
	500mg, 1.7oz										
Lot Number	J19231-500	Amount Per Bottle:	1.7oz								
Expiration Date:	11/2025	Storage	Room Temperate, away from								
		Recommendation:	light								
	PHYSICAL QUA	ALITIES									
STRENGTH	500mg CBD per Container	COLOR	White								
SIZE	1.7oz	ODOR	Menthol								
ADDITIONAL INFO	n/a	FLAVOR	n/a								

Test Performed:	PASS / FAIL
Potency:	Pass
Heavy Metals:	Pass Pass
Mycotoxins:	Pass
Pesticides:	Pass
Residual Solvents:	Pass
Listeria Monocytogenes:	Pass
Pathogens:	Pass

Test Performed	Method	Specification	Result	Pass/Fail
CBD	LCVU / HPLC	≥500mg / container	561.94mg / container	<ul><li>☑ Pass</li><li>☐ Fail</li></ul>
THC	LCVU / HPLC	<0.01%	ND	☐ Pass☐ Fail
Arsenic	ICP-MS	≤ 1500ppb	ND	☐ Pass☐ Fail
Cadmium	ICP-MS	≤ 500ppb	ND	☐ Pass☐ Fail
Lead	ICP-MS	≤ 500ppb	ND	☐ Pass☐ Fail
Mercury	ICP-MS	≤ 3000ppb	ND	☐ Pass☐ Fail
Aflatoxin B1	LCMS	≤ 20 ppb	ND	☐ Pass☐ Fail
Aflatoxin G1	LCMS	≤ 20 ppb	ND	☐ Pass☐ Fail
Ochratoxin A	LCMS	≤ 20 ppb	ND	☐ Pass☐ Fail
E. Coli	USP2022	Absent	ND	☐ Pass☐ Fail
Salmonella	USP2022	Absent	ND	□ Pass     □ Fail
Aspergillus (Flavus, Fumigatus, Niger, Terreus)	qPCR	Absent	ND	⊠ Pass □ Fail



# Q SOP.006.T3 CBD Product Certificate of Analysis (CofA) Template

Revision:00

Revision Date: 06/10/2022 Last Edits BY: JENA Murray

Approval: Jena Murray Approval Date: 06/29/2022

Test Performed	Method	Specification	Result	Pass/Fail
Listeria Monocytogenes	qPCR	Absent	NT	☐ Pass☐ Fail
Full Pesticide Panel (see attached results for each tested)	LCMS / GCMS	See attached results for Specification of each Pesticide tested	See attached	⊠ Pass □ Fail
Residual Solvents (see attached results for each tested)	GCMS	See attached results for Specification of each Residual Solvent tested	See attached	⊠ Pass □ Fail

NOTES:		
	n/	/a 10/20/2023 rcg
Released:	APPROVED	11/20/2023
Quality Assurance:	By Raquel Garza at 11:29 am, Nov 20, 2023	Data

Quality Assurance: \_ Date:\_



Type: Other

## Certificate of Analysis

#### **QA SAMPLE - INFORMATIONAL ONLY**

1 of 2

ICAL ID: 20231108-003 RETEST Sample: CA231116-020-179 Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Strain: Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Category: Topical

Medterra CBD Lic. # 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: J19231-500 Batch Size Collected: Total Batch Size:

Collected: 11/17/2023; Received: 11/17/2023

Completed: 11/17/2023

Moisture  $\Delta$ 9-THC CBD Total Cannabinoids Total Terpenes NT Water Activity ND 561.94 mg/unit 564.11 mg/unit NT

NT

Summary SOP Used **Date Tested** Batch **Pass** POT-PRFP-005 Cannabinoids 11/17/2023 Complete RS-PREP-001 Residual Solvents 11/08/2023 11/10/2023 Pass MICRO-PREP-001 Pass Microbials PESTMYCO-LC-PREP-001 HM-PREP-001 11/08/2023 Mycotoxins **Pass** Heavy Metals 11/08/2023 **Pass** FM-PREP-001 Foreign Matter 11/08/2023 Pass TMYCO-LC-PREP-001/ Pesticides 11/08/2023 Pass PEST-GC-PREP-001



Scan to see results

**Cannabinoid Profile** 

1 Unit = 1.7 oz container, 48.19 g.

Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit	Analyte	LOQ (mg/g)	LOD (mg/g)	%	mg/g	mg/unit
THCa	0.0481	0.0160	ND	ND	ND	CBGa	0.0414	0.0100	ND	ND	ND
Δ9-THC	0.0414	0.0122	ND	ND	ND	CBG	0.0414	0.0056	ND	ND	ND
Δ8-THC	0.0414	0.0066	ND	ND	ND	CBN	0.0414	0.0089	ND	ND	ND
THCV	0.0414	0.0053	ND	ND	ND	Total THC			ND	ND	ND
CBDa	0.0532	0.0177	ND	ND	ND	Total CBD			1.17	11.66	561.94
CBD	0.0414	0.0055	1.166	11.66	561.94	<u>Total</u>			1.17	11.71	564.11
CBDV	0.0414	0.0062	0.005	0.05	2.17						
CBC	0.0425	0.0142	ND	ND	ND						

Total THC=THCa \* 0.877 + d9-THC + d8-THC + d8-THC; Total CBD = CBDa \* 0.877 + CBD. LOD= Limit of Detection, LOQ= Limit of Quantitation, ND= Not Detected, NR= Not Reported. Potency is reported on a dry weight basis. Instrumentation and analysis SOPs used: Cannabinoids: UHPLC-DAD(POT-INST-005), Moisture: Moisture Analyzer (MOISTURE-001), Water Activity: Water Activity: Meter (WA-INST-002), Foreign Material: Microscope (FOREIGN-001). Density measured at 19-24 °C, Water Activity measured at 0-90% RH. All QA submitted by the client, All CA State Compliance sampled using SAMPL-SOP-001.

### Terpene Profile

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP TERP-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-000047-LIC

Josh M Surder
Josh Swider

Josh Swider Lab Director, Managing Partner 11/17/2023 Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



2 of 3



## Certificate of Analysis

ICAL ID: 20231108-003 RETEST Sample: CA231116-020-179 Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Strain: Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Category: Topical Medterra CBD Lic. # 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: J19231-500 Batch Size Collected: Total Batch Size:

Collected: 11/17/2023; Received: 11/17/2023

Completed: 11/17/2023

#### **Residual Solvent Analysis**

Type: Other

Category 1		LOQ	LOD	Limit :	Status	Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	μg/g	µg/g	μg/g	µg/g			μg/g	µg/g	μg/g	µg/g			μg/g	µg/g	μg/g	μg/g	
1,2-Dichloro-Ethane	ND	0.3	0.1	1	Pass	Acetone	ND	51.246	3.144	5000	Pass	n-Hexane	ND	0.729	0.179	290	Pass
Benzene	ND	0.1 (	0.0333	1	Pass	Acetonitrile	ND	1.723	0.574	410	Pass	sopropano	ND	0.335	0.112	5000	Pass
Chloroform	ND 0	).154 (	0.0514	1	Pass	Butane	ND	8.36	2.787	5000	Pass	Methanol	ND	7.739	2.58	3000	Pass
Ethylene Oxide	ND 0	).971	0.324	1	Pass	Ethanol	ND	5.814	1.938	5000	Pass	Pentane	<loq< th=""><th>5.212</th><th>1.737</th><th>5000</th><th>Pass</th></loq<>	5.212	1.737	5000	Pass
Methylene-Chloride	ND 2	2.602	0.867	1	Pass	Ethyl-Acetate	ND	2.288	0.329	5000	Pass	Propane	ND	31.953	10.651	5000	Pass
Trichloroethene	ND	0.2	0.067	1	Pass	Ethyl-Ether	ND	2.869	0.901	5000	Pass	Toluene	ND	0.864	0.069	890	Pass
						Heptane	ND	2.859	0.748	5000	Pass	Xylenes	ND	2.572	0.444	2170	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: HS-GC-MS; samples analyzed according to SOP RS-INST-003.

#### **Heavy Metal Screening**

		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g	µg/g	
Arsenic	ND	0.009	0.003	1.5	Pass
Cadmium	ND	0.002	0.001	0.5	Pass
Lead	ND	0.004	0.001	0.5	Pass
Mercury	ND	0.014	0.005	1.5	Pass

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: ICP-MS; samples analyzed according to SOP HM-INST-003.

## Microbiological Screening

	Limit	Result	Status
	CFU/g	CFU/g	
Aspergillus flavus		Not Detected	Pass
Aspergillus fumigatus		Not Detected	Pass
Aspergillus niger		Not Detected	Pass
Aspergillus terreus		Not Detected	Pass
STEC		Not Detected	Pass
Salmonella SPP		Not Detected	Pass

ND=Not Detected. Analytical instrumentation used:qPCR; samples analyzed according to SOP MICRO-INST-001.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider

Josh Swider Lab Director, Managing Partner 11/17/2023 Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.



Status

Tested

Tested

Tested

Tested

Pass

Pass



## Certificate of Analysis

ICAL ID: 20231108-003 RETEST Sample: CA231116-020-179 Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Strain: Medterra Rapid Recovery Cooling Cream, 500mg, 1.7oz Category: Topical Type: Other

Medterra CBD 18500 Von Karman Ave Irvine, CA 92612

Lic.#

Batch#: J19231-500 Batch Size Collected: Total Batch Size:

µg/kg

NĎ

ND

ND

ND

ND

ND

Collected: 11/17/2023; Received: 11/17/2023

µg/kg

1.94

2.65

3.91

1.54

4.78

Limit

µg/kg

Completed: 11/17/2023

µg/kg

5.88

8.04

11.85

14.49

### **Chemical Residue Screening**

Category 1		LOQ	LOD	Status	Mycotoxins
	µg/g	µg/g	μg/g	_	
Aldicarb	ND	0.030	0.010	Pass	B1
Carbofuran	ND	0.030	0.004	Pass	B2
Ch <b>l</b> ordane	ND	0.075	0.025	Pass	G1
Chlorfenapyr	ND	0.075	0.025	Pass	G2
Chlorpyrifos	ND	0.033	0.011	Pass	Ochratoxin A
Coumaphos	ND	0.030	0.007	Pass	Total Aflatoxins
Daminozide	ND	0.058	0.019	Pass	
Dich <b>l</b> orvos	ND	0.051	0.017	Pass	
Dimethoate	ND	0.030	0.009	Pass	
Ethoprophos	ND	0.030	0.006	Pass	
Etofenprox	ND	0.030	0.006	Pass	
Fenoxycarb	ND	0.034	0.011	Pass	
Fipronil	ND	0.030	0.006	Pass	
Imazalil	ND	0.030	0.009	Pass	
Methiocarb	ND	0.030	0.010	Pass	
Mevinphos	ND	0.040	0.013	Pass	
Paclobutrazol	ND	0.034	0.011	Pass	
Parathion Methyl	ND	0.024	0.008	Pass	
Propoxur	ND	0.030	0.007	Pass	
Spiroxamine	ND	0.030	0.004	Pass	
Thiacloprid	ND	0.030	0.003	Pass	

Category 2		LOQ	LOD	Limit	Status	Category 2		LOQ	LOD	Limit	Status
	μg/g	µg/g	µg/g	µg/g			μg/g	µg/g	µg/g	µg/g	
Abamectin	ND	0.044	0.014	0.3	Pass	Kresoxim Methyl	ND	0.030	0.010	1	Pass
Acephate	ND	0.030	0.006	5	Pass	Malathion	ND	0.030	0.007	5	Pass
Acequinocy <b>l</b>	ND	0.085	0.028	4	Pass	Metalaxyl	ND	0.030	0.005	15	Pass
Acetamiprid	ND	0.030	0.007	5	Pass	Methomyl	ND	0.032	0.010	0.1	Pass
Azoxystrobin	ND	0.030	0.004	40	Pass	Myclobutanil	ND	0.030	0.010	9	Pass
Bifenazate	ND	0.030	0.008	5	Pass	Naled	ND	0.035	0.012	0.5	Pass
Bifenthrin	ND	0.049	0.016	0.5	Pass	Oxamyl	ND	0.031	0.010	0.3	Pass
Bosca <b>l</b> id	ND	0.032	0.011	10	Pass	Pentachloronitrobenzene	ND	0.054	0.018	0.2	Pass
Captan	ND	0.358	0.120	5	Pass	Permethrin	ND	0.030	0.004	20	Pass
Carbary <b>l</b>	ND	0.030	0.006	0.5	Pass	Phosmet	ND	0.030	0.008	0.2	Pass
Chlorantraniliprole	ND	0.030	0.007	40	Pass	Piperonyl Butoxide	ND	0.030	0.009	8	Pass
Clofentezine	ND	0.030	0.006	0.5	Pass	Prallethrin	ND	0.062	0.020	0.4	Pass
Cyfluthrin	ND	0.056	0.019	1	Pass	Propiconazo <b>l</b> e	ND	0.064	0.021	20	Pass
Cypermethrin	ND	0.044	0.015	1	Pass	Pyrethrins	ND	0.030	0.004	1	Pass
Diazinon	ND	0.082	0.027	0.2	Pass	Pyridaben	ND	0.030	0.008	3	Pass
Dimethomorph	ND	0.031	0.010	20	Pass	Spinetoram	ND	0.030	0.003	3	Pass
Etoxazole	ND	0.030	0.005	1.5	Pass	Spinosad	ND	0.030	0.003	3	Pass
Fenhexamid	ND	0.044	0.015	10	Pass	Spiromesifen	ND	0.031	0.010	12	Pass
Fenpyroximate	ND	0.030	0.010	2	Pass	Spirotetramat	ND	0.030	0.010	13	Pass
Flonicamid	ND	0.055	0.018	2	Pass	Tebuconazole	ND	0.065	0.021	2	Pass
Fludioxonil	ND	0.058	0.019	30	Pass	Thiamethoxam	ND	0.030	0.009	4.5	Pass
Hexythiazox	ND	0.066	0.022	2	Pass	Trifloxystrobin	ND	0.030	0.004	30	Pass
<u>Imidacloprid</u>	ND	0.070	0.023	3	Pass						

#### Other Analyte(s):

NR= Not Reported (no analysis was performed), ND= Not Detected (the concentration is less then the Limit of Detection (LOD)). Analytical instrumentation used: LC-MS-MS & GC-MS-MS; samples analyzed according to SOPs PESTMYCO-LC-INST-004 and PEST-GC-INST-003.



Infinite Chemical Analysis Labs 8312 Miramar Mall San Diego, CA (858) 623-2740 www.infiniteCAL.com Lic# C8-0000047-LIC

Josh Swider Lab Director, Managing Partner 11/17/2023

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com



This product has been tested by Infinite Chemical Analysis, LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 15730, pursuant to 16 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC.